EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	273	(router SAME switch SAME cluster) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:13
L2	5	(router SAME switch SAME cluster SAME (standby stand-by secondary backup back-up) SAME (active primary)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 15:22
L5	477	(cluster SAME failover) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:14
L6	24	(cluster SAME failover SAME switch) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:14
L7	86	(failover SAME (switch NEAR2 (failed fail failure))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:29
L8	35	(failover SAME ((node switch router server) NEAR2 (failed fail failure)) SAME (update reconfig $6)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/08 16:48
S1	5	"20020083431" "20080019499"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/02 08:40
S2	1021	709/244	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/02 09:11

S3	5360	(switch SAME connection SAME network SAME (config$7 reconfig$7)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:04
S4	565	((network NEAR5 switch) SAME (connection NEAR5 (config$7 reconfig$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:06
S5	308	((network NEAR5 switch) SAME (connection NEAR5 (config$7 reconfig$7))) AND (switch NEAR5 (multipl$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:14
S6	0	((network NEAR5 switch) SAME (connection NEAR5 (config$7 reconfig$7))) AND (netwrok NEAR5 (multipl$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:15
S7	437	((network NEAR5 switch) SAME (connection NEAR5 (config$7 reconfig$7))) AND (network NEAR5 (multipl$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:15
S8	365	((network NEAR5 switch) SAME (connection NEAR5 (config$7 reconfig$7))) AND (network NEAR2 (multipl$7 plurality)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/06 14:16
S9	13	"20020186653" "20010021198" "20030176003" "20040088412" "20020049859"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:51
S10	13	"20020186653" "20010021198" "20030176003" "20040068412" "20020049859"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:53
S11	16	"20020186653" "20010021198" "20030176003" "20040088412" "20020049859" "20040268112"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:53

S12	17	("6748429", "5751967", "6903755", "6788315", "6636239", "6148410", "7076645").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 10:55
S13	867	(router SAME (updat$4 config$7) SAME active) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 11:15
S14	578	(router SAME (updat$4 config$7) SAME active) AND (network SAME manage$6) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 11:22
S15	6	((cluster NEAR5 router) SAME (updat$4 config$7) SAME active) AND (network SAME manage $6) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 12:51
S16	3280	((router) SAME (updat$4 config$7) SAME (network SAME manage$6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 13:56
S17	674	((router NEAR2 (updat$4 config$7)) SAME (network SAME manage$6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 13:57
S18	125	((send$4 distribut$6) SAME (router NEAR2 (updat$4 config$7)) SAME (network SAME manage $6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 13:59
S19	6	((send$4 distribut$6) SAME (cluster NEAR2 (updat$4 config$7)) SAME (router SAME network SAME manage$6)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:12
S20	4	((send$4 distribut$6) SAME (cluster NEAR2 (updat$4 config$7)) SAME (routing NEAR3 table)) AND @ad< "20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:25

S21	673	((send$4 distribut$6) SAME (cluster NEAR2 (updat$4 config$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:46
S22	180	((send$4 distribut$6) NEAR5 (cluster NEAR2 (updat$4 config$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 14:47
S23	2	(((send$4 distribut$6 transmit$5) NEAR3 (rout $5 NEAR2 table)) SAME (cluster NEAR2 (updat$4 config$7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 15:57
S24	0	(((send$4 distribut$6 transmit$5) NEAR3 (failover)) SAME (cluster NEAR2 (updat$4 config $7))) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:17
S25	10	(((send$4 distribut$6 transmit$5) NEAR3 (failover)) SAME (cluster)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:18
S26	35	(((send$4 distribut$6 transmit$5) NEAR3 (failover)) AND (cluster SAME failover)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 16:30
S27	4	("4720782", "6725264"). PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:06
S28	1646	(cluster NEAR2 manag$7) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:30
S29	103	((cluster NEAR2 manag $7) SAME (router switch)) AND @ad<"20030805"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/07 18:30

| S30 | 864 | ((cluster NEAR2 manag $7) AND (config$7 SAME (node router switch server))) AND @ad<"20030805" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/07 18:34 |
| S31 | 313 | (((cluster NEAR2 manag $7) SAME config$7) AND (config$7 SAME (node router switch server))) AND @ad<"20030805" | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/07 18:35 |

EAST Search History (Interference)

<This search history is empty>

10/8/2010 5:49:00 PM
H:\EASTWorkspaces\10663161.wsp